

JUCT. DWGS. COLOR TO MATCH JONE WHITE."	DRAWINGS/SPECIFICATIONS BY:			7	
7'-0" COURSE: 8" AIRVOL PRECISION	☐ WALGREENS' CONSULTANT				
, , , , , , , , , , , , , , , , , , , ,	■ LANDLORD'S CONSULTANT				
IM" HEMLOCK GREEN.	ALL CONSTRUCTION WORK, UNLESS				
'	☐ WALGREENS' CONTRACTOR				
METAL COPING, GUTTERS, PARAPET  ) FLASHING ADJACENT TO STANDING	☑ LANDLORD'S CONTRACTOR (TU	ICTION)			
FLASHING ADDACENT TO GTAINSING	STORE	BUILD			
CRIPT SIGN. INTERNALLY ILLUMINATED.	NEW	NEW		24-255	
GN. SEE A5.2	REMODELING 🗖	EXISTING			
ID.	RELOCATION	NEW SHELL ON			
ID.	OTHERS	NEW SHELL ON	LT	a male Pout	
2				704-2455	
HT, MOUNT MAX +14' AFF PER DESIGN	SIGN AREA SI	UMMARY		* Oct Draid	
•		PROVIDED	ALLOWED	* 02 " 44'	
	ELEVATION #1 (SOUTH ELEVATION)	FRONTAGE: 128	128' X 5' = 64 S.F.		
7	20'-8 3/4" WALGREENS SCRIPT SIGN	33.5 S.F.		9.20	
	12" 1-HR PHOTO INDIVIDUAL LETTER	9.30 S.F. 8.50 S.F.	·	7.50	
	12" PHARMACY INDIVIDUAL LETTER	51.3 S.F.	64 S.F.		
- AFO NO 7	CHANNEL ISLANDS ENTRANCE MONUMENT SIGN (BOTH SIDES COUNTED	34.2 S.F.	50.0 S.F.		
E A5.2, NO. 7	ELEVATION #2 (WEST ELEVATION)	FRONTAGE:	146' X 5' =	1	
SH" > PREFIN. BC _ WHITE		148'	73 S.F.	-2.1¢	
BC _ WITT	EXIT INDIV LETTER SIGN (DIRECTIONAL)	2.1 S.F.	73.0 S.F.		
	ELEVATION #3 (NORTH ELEVATION)	FRONTAGE:	585 SF.		
ALUM FIN. O/STRUCT. STEEL COL.		55.8 S.F.	58.5 S.F.	A) 40th	
_ CLADDING TO MATCH	26'-8 1/2" WALGREENS SCRIPT SIGN ELEVATION #4 (EAST ELEVATION)	FRONTAGE:	148' X 2' =	7	
R ANOD. ALUM.	(PRIMARY FRONTAGE)	148'	296 S.F.		
ER TUBE.	20'-8 3/4" WALGREENS SCRIPT SIGN	33.5 S.F.		* 8.2 Ø	
1710 COLOR #00-1010- F/FDV 4TH	12" 1-HR PHOTO INDIVIDUAL LETTE	8.50 S.F.		7.54	
AIRVOL COLOR #60d612e, EVERY 4TH	12" PHARMACY INDIVIDUAL LETTER  D.T. PHARMACY INDIV. LETTER SIGN (DIRECTION)	ONAL) 12.6 S.F.		7 1264	
AND DOWNSPOUT TO BE FABRICATED		63.9 S.F.	74 S.F.	1	
SHEETMETAL TO MATCH IMSA	ROSE ENTRANCE  MONUMENT SIGN (BOTH SIDES COUNTED	) 34.2 S.F.	50.0 S.F.	5 32.66	
ONIO MAY OF EAD CTAIN EIN	GATEWAY SIGNAGE			14	
JING W/ CLEAR STAIN FIN.	RETAIL DISTRICT IDENENTIFIER	32.0 S.F.	EXEMPT	305.64	
60d612e.	REIAL DISTRICT IDEALANTHER			TOSHE ME	
O MATCH ICI 325 AUTUMN BLUSH.	TOTAL BUILDING SIGNAGE	173.1 S.F.	491.5 S.F.	of sel of	
R TO MATCH BUILDING WAINSCOT	TOTAL SITE SIGNAGE TOTAL SIGNAGE AREA	68.4 S.F. 241.5 S.F.	100.0 S.F. 591.5 S.F.	SIGNING SIGNING SIGNING PLOWER 319.50	
				prove	
COLOR: POWDER COAT TO MATCH		SIGN CODE SUMMARY			
IN MTL CLADDING. COLOR: HEMLOCK	THE ARRANGEMENT AND CALCULATION FOR THE SIGN AREA SUMMARY IS PER THE CITY PROJECT PLANNER. SIGNAGE AREAS PROVIDED BY THIS DRAWING SET ARE LIMITED TO THE DISCRETION OF THE PROJECT PLANNER, THE DESIGN GUIDELINES, THE MASTER SIGN PROGRAM, AND THE CITY COUNCIL. THESE AREAS ARE THE MAXIMUM ALLOWANCES OF BUILDING AND SITE SIGNAGE AS				
ANSPARENT & NON-REFLECTIVE	■ I MAXIMUM ALLOWANCES OF BUILDIN	NG AND SITE SIGNAGE	- 40	l <b>l</b>	

## MONUMENT SIGN NOTES

THIS SIGN WORK SHALL
CONSIST OF THE CONSTRUCTION
AND INSTALLATION OF ONE NEW
DOUBLE—FACED MONUMENT
SIGN. SIGN POWER, MASONRY
BASE AND FOUNDATION BY
LANDLORD'S CONTRACTOR.
WALGREENS' SIGN FACES,
STRUCTURAL SUPPORTS AND
CABINETS BY WALGREENS' SIGN
CONTRACTOR.

LOCAL SIGN CODE LIMITS THE FACE AREA OF FREESTANDING SIGNAGE TO 17 SQ.FT. AND A MAXIMUM SIGN HEIGHT OF 5'-O". CODE MANDATES USE OF BRICK BASE.

WALGREENS' PRIMARY PANEL SIGN FACES TO BE FABRICATED FROM ROHM AND HAAS #7328 WHITE IMPACT RESISTANT DR ACRYLIC. SIGN FACES TO HAVE RED BACKGROUND WITH WHITE COPY AND STARS; BLUE MORTAR AND PESTLE FORMATTED WITH 3M #3630-53 "CARDINAL RED" AND 3M #3630-36 "BLUE" SURFACE APPLIED VINYL FILMS.

PROVIDE TWO (2) CONDUITS TO PYLON: ONE FOR LIGHTING CIRCUIT. THE OTHER FOR COAXIAL CABLE FROM CONTROL CENTER TO POSSIBLE FUTURE LED READERBOARD. PROVIDE 300' COAXIAL CABLE FOR EACH GROUND SIGN (REFER TO SITE PLAN).

THE MORTAR AND PESTLE SYMBOL: 9" OVERALL SYMBOL HEIGHT AND 8" OVERALL SYMBOL WIDTH.

"WALGREENS" EXTENDED SCRIPT COPY: 8" CAPITAL AND 6" LOWER CASE LETTER HEIGHTS; 11" OVERALL COPY HEIGHT AND 6'-6" OVERALL LENGTH.

"DRIVE-THRU PHARMACY"
HELVETICA MEDIUM COPY: 3"
CAPITAL LETTER HEIGHT AND
5'-10" OVERALL COPY LENGTH.

INTERNAL C.W.H.O.
FLUORESCENT ILLUMINATION.

ALL DIMENSIONS AND CONDITIONS TO BE VERIFIED IN THE FIELD BY THE SIGN CONTRACTOR PRIOR TO SIGN FABRICATION.

SIGN CONTRACTOR SHALL BE RESPONSIBLE FOR SIGNS' COMPLIANCE TO ALL APPLICABLE CODES AND ORDINANCES.


SIGN CONTRACTOR SHALL OBTAIN ALL PERMITS NECESSARY TO INSTALL THE SIGN.

SIGN CONTRACTOR SHALL FURNISH (2) TWO SETS OF SHOP DRAWINGS FOR APPROVAL TO THIS OFFICE BEFORE FABRICATION.

ALL SIGNS TO BE FABRICATED ACCORDING TO THE UNDERWRITERS LABORITORIES SPECIFICATIONS AND TO BEAR UL LABELS.

PROVIDE DISCONNECT SWITCH ON EXTERIOR OF SIGN FOR EACH CIRCUIT TO COMPLY WITH STATE AND LOCAL CODES.





TOTAL SIGN FACE AREA = 17 S.F.

MONUMENT SIGN ELEVATION

SCALE: 1/4" = 1'-0"

TIT 5: ERFESTANDING SIGNAGE


REVISIONS					
NO.	DATE	BY	DESCRIPTION	CONST	

TUalgreens
200 WILMOT ROAD
DEERFIELD, IL 60015-4616

TITLE: FREESTANDING SIGNAGE
ADDRESS: (NWC) ROSE & CHANNEL ISLANDS BLVD.
LOCATION: OXNARD,CA.
STORE # 07305

SCALE: AS SHOWN
DRAWN BY: HERWEG
DATE: 3/7/03
CADD PLOT: d507305ox.dwg

SHEET: D-5



- 7/8 CEMITTIOUS PLASTER OVER MTL LATH, OVER 2 LAYERS GRADE D BLDG PAPER WOOD FRAME STRUCTURE PER STRUCT DWGS. COLOR TO MATCH BENJAMIN MOORE BONE WHITE!

- PREFINISHED SHEET METAL COPING, GUTTERS, PARAPET
  CAP FLASHING, AND FLASHING ADJACENT TO STANDING
  SEAM ROOF.

   STORE
   BUILDING

- (20) 4" SPLIT-FACE CMU, AIRVOL COLOR #600612e, EVERY 4TH COURSE

- ②5) STUCCO ♥ PLANTER TO MATCH BUILDING WAINSCOT COLOR

- ②B GLAZING TO BE TRANSPARENT & NON-REFLECTIVE

## Walgreens

FACILITIES PLANNING AND DESIGN 200 WILMOT ROAD DEERFIELD, IL 847-940-2500 60015-4616

RAWINGS/SPECIFICATIONS BY

MALGREENS' CONSULTANT

M LANDLORD'S CONSULTANT ALL CONSTRUCTION WORK, UNLESS NOTED OTHERWISE, BY:

WALGREENS' CONTRACTOR

STORE	BUILDING
NEW	NEW


SIGN AREA SUMMARY				
	PROMOED	ALLOWED		
ELEVATION #1 (SOUTH ELEVATION)	PHONTAGE	128" X # = 64 8/F.		
201-8 3/4" WALGREENS SORET SIGN	33.5 S.F.			
12" 1-HR PHOTO INDIVIDUAL LETTER	9.30 S.F.			
12" PHARMACY INDIVIDUAL LETTER	8,50 S.F.			
MONUMENT SIGN (BOTH SIDES COUNTED)	34.2 S.F.	50.0 S.F.		
	65.5 S.F.	114.0 S.F.		
ELEVATION #2 (MERT SLEVATION)	FRONTAGE NO	146/X.8'= 75 8.6		
EXIT BOX SIGN (DIRECTIONAL)	10.0 S.F.	7		
	10.0 S.F.	73.0 S.F.		
ELEVATION 66 (NORTH ELEVATION)	FRONTAGE 107	117 X # * 686 8.F.		
28'-6 1/2" WALGREENS SCRIPT SIGN	55.6 S.F.	58.5 S.F.		
	55.6 S.F.	55.5 S.F.		
BLEVATION #4 (SAST BLEVATION)	FRONTAGE	148 X 2' = 206 S.F.		
	33.5 S.F.			
	33.5 S.F. 9.30 S.F.			
12" 1-HR PHOTO INDIVIDUAL LETTER 12" PHARMACY INDIVIDUAL LETTER	9,30 S.F. 8,50 S.F.			
12" 1-HR PHOTO INDIVIDUAL LETTER  12" PHARMACY INDIVIDUAL LETTER  DRIVE THRU PHARMACY BOX SIGN (DIRECTIONAL)	9,30 S.F. 8,50 S.F. 34.0 S.F.			
12" 1-HR PHOTO INDIVIDUAL LETTER 12" PHARMACY INDIVIDUAL LETTER	9,30 S.F. 8,50 S.F. 34.0 S.F. 34.2 S.F.	50.0 S.F.		
12" 1-HR PHOTO INDIVIDUAL LETTER  12" PHARMACY INDIVIDUAL LETTER  DRIVE THRU PHARMACY BOX SIGN (DIRECTIONAL)	9,30 S.F. 8,50 S.F. 34.0 S.F.	50.0 S.F. 346 S.F.		
12" 1—HR PHOTO INDIVIDUAL LETTER 12" PHARMACY INDIVIDUAL LETTER DINE THEIR PHARMACY BOX SGN (DRECTIONAL) MONUMENT SIGN (BOTH SIDES COUNTED)	9.30 S.F. 8.50 S.F. 34.0 S.F. 34.2 S.F. 119.5 S.F.	346 \$.F.		
12" 1-HR PHOTO INDIVIDUAL LETTER 12" PHARMACY INDIVIDUAL LETTER 12" PHARMACY BOX 96H (DIRECTIONAL) MONUMENT SIGN (BOTH SIDES COUNTED)  TOTAL BULDING BONAGE	9.30 S.F. 8.50 S.F. 34.0 S.F. 34.2 S.F. 119.5 S.F.	346 S.F. 491.5 S.F.		
12" 1-HR PHOTO INDIVIDUAL LETTER 12" PHARMACY INDIVIDUAL LETTER 12" PHARMACY BOX 96H (DIRECTIONAL) MONUMENT SIGN (BOTH SIDES COUNTED)  TOTAL BULDING BONAGE	9.30 S.F. 8.50 S.F. 34.0 S.F. 34.2 S.F. 119.5 S.F.	346 S.F. 491.5 S.F. 100.0 S.F.		
DRIVE THRU PHARMACY BOX SIGN (DIRECTIONAL)	9.30 S.F. 8.50 S.F. 34.0 S.F. 34.2 S.F. 119.5 S.F.	346 S.F. 491.5 S.F.		

SIGN CODE SUMMARY

SIGNI COURS SUMMARY
THE APPRANCEMENT AND CALCULATION FOR THE SIGN AREA
SUMMARY IS PER THE CITY PROLECT PLANNER. SIGNAGE
AREAS PROVIDED BY THIS DYMANING SET ARE LIMITED TO
THE DECRETION OF THE PROLECT PLANNER, THE DESIGN
GUDELINES AND THE CITY COUNCIL. THESE AFEAS ARE THE
MOVAMM ALLOWANCES OF BULDING AND SITE SIGNAGE AS
INTERPRETED UNDER THE APPLICABLE OFDINANCES
WIFEQUESTED VIARANCE FOR SOUTHERN ELEVATION AND
SECOND MONAMENT SON. SECOND MONUMENT SIGN.

### Paul Poirier + Michael David

A R C H I T E C T S 158 West Alarmar, Suite C Sente Berbera CA \$3105 phone: (806)898-8884 fac: 886-8883



CERTIFICATION AND SEAL

HEREBY CERTIFY THAT THIS PLAN AND SPECIFICATION WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DILLY REGISTERED ARCHITECT OR ENGINEER UNDER THE LAWS OF THE STATE OF CALIFORNIA AS SIGNIFIED BY MY HAND AND SEAL.

# STORE NUMBER 07305

## PROJECT NAME WALGREENS STORE

NWC ROSE AVE. & CHANNEL ISLANDS BLVD. OXNARD, CALIFORNIA 93033

DRAWING TITLE