


REV.	APPR. BY	DATE


REV.	APPR. BY	DATE



NOTE:

1. PAY SPECIAL ATTENTION TO ALL WELDS. WELDS ARE TO BE IMPERCEPTIBLE IN THE FINISHED WORK.

ELEVATION: SIGN TYPE 1




LAYOUT

	DOWNTOWN SIGNAGE		STANDARD PLAN
	DRAWN: A. Roque Department of Public Works	CKD.: <i>[Signature]</i>	APPR: <i>[Signature]</i> L. Balderrama, City Engineer

3" STEEL CHANNEL 1'-3 1/2" HIGH
 WELDED OR MECHANICALLY
 FASTENED TO VERTICAL
 TUBING ON EACH END. PAINT TO
 MATCH COLOR OF SIGN BACK.


1/8" THICK FLAT CUT OUT
 ALUMINUM PANEL FASTENED
 TO SIDE CHANNELS W/
 BUTTON HEAD HEX SOCKET
 SCREWS



(A) PARTIAL DETAIL SECTION

1/8" THICK FLAT CUT OUT
 ALUMINUM PANEL W/ VERTICAL
 ENDS BENT AT 90°. FINISH TO
 BE PAINTED ON ALL EXPOSED
 SURFACES

CONTINUOUS 2" STEEL CHANNEL
 WELDED HORIZONTALLY TO
 VERTICAL TUBES, TOP & BOTTOM.
 PLACE CONSTRUCTION GRADE
 ADHESIVE BETWEEN PANEL &
 FACE OF CHANNEL TO LIMIT
 MOVEMENT OF ALUMINUM PANEL.
 PAINT TO MATCH BACK COLOR
 OF SIGN PANEL. ISOLATE BETWEEN
 DISSIMILAR METALS



(B) PARTIAL DETAIL SECTION


REV.	APPR. BY	DATE

REV.	APPR. BY	DATE

	DOWNTOWN SIGNAGE		STANDARD PLAN
	DRAWN: A. Roque Department of Public Works	CKD.: <i>[Signature]</i>	APPR.: <i>[Signature]</i> L. Balderrama, City Engineer

REV.	APPR. BY	DATE


REV.	APPR. BY	DATE



LAYOUT

NOTES:

1. PAY SPECIAL ATTENTION TO ALL WELDS. WELDS ARE TO BE IMPERCEPTIBLE IN THE FINISHED WORK.
2. ATTACH PANELS SO THAT THEY ARE PLUMB.
3. PROVIDE FOOTING DETAIL FOR ALL NEW POST CONDITIONS.



ELEVATION: SIGN TYPE 2



DOWNTOWN SIGNAGE

DRAWN: A. Roque CKD.: *[Signature]*


Department of Public Works

APPR. *[Signature]*
L. Balderramo, City Engineer

STANDARD PLAN

PLATE 208

SHEET 3 OF 12



BACK OF PANEL

1/8" THICK FLAT CUT OUT ALUMINUM GRAPHIC FACE PANEL W/ PAINTED FINISH & SURFACE APPLIED VINYL


CONTINUOUS WELD

1" x 3" ALUMINUM TUBE WELDED TO BACK OF PANEL. PAINTED TO MATCH PANEL COLOR


18 GA STAINLESS STEEL STRAP-ON BRACKET. SLOTTED FOR 3/4" STAINLESS STEEL STRAPPING

EXISTING LAMP POST OR UTILITY POSTS. (WHERE NEW POLES ARE REQUIRED, USED 4" DIAMETER STEEL POLES W/ CAPPED TOP)

OPEN TOP & BOTTOM OF TUBE



B SECTION DETAIL



A PARTIAL PLAN

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE



DOWNTOWN SIGNAGE


DRAWN: A. Roque CKD.: *[Signature]*
 Department of Public Works

APPR. *[Signature]* 1-6-01
 L. Balderrama, City Engineer

STANDARD PLAN
PLATE 208
 SHEET 4 OF 12

NOTES:

1. PAY SPECIAL ATTENTION TO ALL WELDS. WELDS ARE TO BE IMPERCEPTIBLE IN THE FINISHED WORK.
2. ATTACH PANELS SO THAT THEY ARE PLUMB. SIGN FACES TO BE FLUSH.
3. PROVIDE FOOTING DETAIL FOR ALL NEW POST CONDITIONS.
4. USE SIGN TYPE 3 FOR ALL SINGLE PANEL CONDITIONS.




BANK GOTHIC MEDIUM

LAYOUT

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE



ELEVATION: SIGN TYPE 3 & 4

NEW 4" DIA. POST WHERE SPECIFIED



DOWNTOWN SIGNAGE


STANDARD PLAN

DRAWN: A. Roque CKD.: *[Signature]*
 Department of Public Works


APPR. *[Signature]* 1-6-06
 L. Balderrama, City Engineer

PLATE 208

SHEET 5 OF 12



BACK OF PANEL-SIGN TYPE 4



BACK OF PANEL-SIGN TYPE 3

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE

1/8" THICK FLAT CUT OUT ALUMINUM GRAPHIC FACE PANEL W/ PAINTED FINISH & SURFACE APPLIED VINYL


CONTINUOUS WELD

1" x 3" ALUMINUM TUBE WELDED TO BACK OF PANEL. PAINTED TO MATCH PANEL COLOR


18 GA STAINLESS STEEL STRAP-ON BRACKET. SLOTTED FOR 3/4" STAINLESS STEEL STRAPPING

EXISTING LAMP POST OR UTILITY POSTS. (WHERE NEW POLES ARE REQUIRED, USED 4" DIAMETER STEEL POLES W/ CAPPED TOP)


OPEN TOP & BOTTOM OF TUBE



(B) SECTION DETAIL



(A) PARTIAL PLAN



DOWNTOWN SIGNAGE

STANDARD PLAN


DRAWN: A. Roque CKD: *[Signature]*
 Department of Public Works

APPR. *[Signature]* 1-6-01
 L. Balderrama, City Engineer

PLATE 208
 SHEET 6 OF 12


REV.	APPR.	BY	DATE

REV.	APPR.	BY	DATE



SIGN TYPE 1: COLORS

SIGN TYPE 2: COLORS



SIGN TYPE 3 (top) & SIGN TYPE 4 (bottom): COLORS

COLOR SCHEDULE

NO.	COLOR NO.	COLOR NAME	FINISH
①	PMS 266	PURPLE	OPAQUE SEMI-GLOSS
②	PMS 1805	RED	OPAQUE SEMI-GLOSS
③	PMS Prac. CYAN (match)	BLUE (transparent ink)	REFLECTIVE
④	PMS 136 (match)	YELLOW (transparent ink)	REFLECTIVE
⑤	3M 980-10 (Diamond Grade)	WHITE	REFLECTIVE
⑥	PMS Process Black	BLACK	SEMI-GLOSS
⑦	Malagar Green	GREEN	SEMI-GLOSS

NOTE: PROVIDE UV INHIBITOR SHEETING OVER FULL PANEL.



DOWNTOWN SIGNAGE


DRAWN: A. Roque CKD.: *[Signature]*
 Department of Public Works

APPR. *[Signature]* 1-6-06
 L. Balderrama, City Engineer


STANDARD PLAN

PLATE 208


SHEET 7 OF 12



SIGN TYPE 7: COLORS



SIGN TYPE 6: COLORS




SIGN TYPE 5: COLORS

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE


REV.	APPR. BY	DATE




ELEVATION: SIGN TYPE 5


NOTES:

1. PAY SPECIAL ATTENTION TO ALL WELDS. WELDS ARE TO BE IMPERCEPTIBLE IN THE FINISHED WORK.
2. ATTACH PANELS SO THAT THEY ARE PLUMB.
3. EXACT QUANTITY & ON SITE PLACEMENT OF EACH PANEL TO BE DETERMINED PRIOR TO FABRICATION.
4. VERIFY ALL EXISTING POLE CONDITIONS & REQUIREMENTS FOR NEW POLES PRIOR TO FABRICATION.



LAYOUT

	DOWNTOWN SIGNAGE		STANDARD PLAN
	DRAWN: A. Roque Department of Public Works	CKD.: <i>[Signature]</i>	APPR: <i>[Signature]</i> 1-6-06 L. Bolderramo, City Engineer



BACK OF PANEL—SIGN TYPE 5

1/8" THICK FLAT CUT OUT ALUMINUM GRAPHIC FACE PANEL W/ PAINTED FINISH & SURFACE APPLIED VINYL


CONTINUOUS WELD

1" x 3" ALUMINUM TUBE WELDED TO BACK OF PANEL. PAINTED TO MATCH PANEL COLOR


18 GA STAINLESS STEEL STRAP-ON BRACKET. SLOTTED FOR 3/4" STAINLESS STEEL STRAPPING

EXISTING LAMP POST OR UTILITY POSTS. (WHERE NEW POLES ARE REQUIRED, USED 4" DIAMETER STEEL POLES W/ CAPPED TOP)

OPEN TOP & BOTTOM OF TUBE



(B) SECTION DETAIL



(A) PARTIAL PLAN

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE



DOWNTOWN SIGNAGE

DRAWN: A. Roque CKD: *[Signature]*
 Department of Public Works


APPR. *[Signature]* 1-6-06
 L. Balderrama, City Engineer

STANDARD PLAN
PLATE 208
 SHEET 10 OF 12


3/4"
EXTRA TAB ON PANEL
FOR MOUNTING BRACKET

2'-6"


☒ COPY



LAYOUT: SIGN TYPE 7



LAYOUT: SIGN TYPE 6



8'-0" MINIMUM

ELEVATION: SIGN TYPE 6 & 7



FIRST ST
SECOND ST
THIRD ST
FOURTH ST
FIFTH ST
SIXTH ST
SEVENTH ST
EIGHTH ST
NINTH ST

MESSAGES USED

NOTES:

1. EXACT QUANTITY & ON SITE PLACEMENT OF EACH PANEL TO BE DETERMINED PRIOR TO FABRICATION.
2. VERIFY ALL EXISTING POLE CONDITIONS & REQUIREMENTS FOR NEW POLES PRIOR TO FABRICATION.

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE



DOWNTOWN SIGNAGE


STANDARD PLAN

DRAWN: A. Roque CKD.: *[Signature]*
Department of Public Works


APPR. *[Signature]*
L. Bolderrama, City Engineer

PLATE 208

SHEET 11 OF 12



(A) PARTIAL PLAN



(B) SECTION DETAIL

REV.	APPR. BY	DATE

REV.	APPR. BY	DATE



DOWNTOWN SIGNAGE

DRAWN: A. Roque CKD.: *[Signature]*
 Department of Public Works

APPR. *[Signature]* 1-6-06
 L. Balderramo, City Engineer

STANDARD PLAN
PLATE 208
 SHEET 12 OF 12